

Hardness calculations using the average results for 2015 for calcium and magnesium from regulation zones.							
Water supply zone	Calcium mgCa/l	Magnesium mgMg/l	Hardness as mg/l CaCO <sub>3</sub>	Clark degrees	French degrees	German degrees	Hardness level
Acharacle	3.55	1.35	14.41	1.01	1.44	0.81	Soft
Achiltibuie	2.00	1.63	11.67	0.82	1.17	0.65	Soft
Achmelvich	10.90	3.20	40.35	2.83	4.04	2.26	Soft
Achnasheen	2.20	0.20	6.31	0.44	0.63	0.35	Soft
Afton	11.78	0.98	33.39	2.34	3.34	1.87	Soft
Alexandria	9.89	1.33	30.12	2.11	3.01	1.69	Soft
Alligin	1.80	0.90	8.19	0.57	0.82	0.46	Soft
Altnaharra	2.30	1.60	12.32	0.86	1.23	0.69	Soft
Amlaird	23.51	1.73	65.76	4.61	6.58	3.68	Moderately Soft
Applecross	2.53	1.05	10.62	0.74	1.06	0.59	Soft
Ardeonaig	5.80	1.10	18.99	1.33	1.90	1.06	Soft
Ardfern	7.63	2.45	29.10	2.04	2.91	1.63	Soft
Ardishaig	2.43	1.10	10.57	0.74	1.06	0.59	Soft
Ardvourlie	2.50	0.40	7.88	0.55	0.79	0.44	Soft
Arinagour	4.20	2.40	20.35	1.43	2.03	1.14	Soft
Arnisdale	11.90	1.40	35.45	2.49	3.54	1.99	Soft
Ascog Bute	12.15	3.18	43.37	3.04	4.34	2.43	Soft
Assynt	4.35	0.69	13.68	0.96	1.37	0.77	Soft
Auchneel	27.90	4.23	86.98	6.10	8.70	4.87	Moderately Soft
Aultbea	1.68	1.25	9.32	0.65	0.93	0.52	Soft
Aviemore	16.56	1.97	49.42	3.47	4.94	2.77	Soft
Backies	4.18	1.10	14.94	1.05	1.49	0.84	Soft
Badachro	2.00	1.35	10.54	0.74	1.05	0.59	Soft
Badcaul	0.65	0.90	5.32	0.37	0.53	0.30	Soft
Badentinan	26.21	1.95	73.42	5.15	7.34	4.11	Moderately Soft
Ballater	7.60	2.00	27.19	1.91	2.72	1.52	Soft
Ballygrant Islay	14.38	4.48	54.27	3.81	5.43	3.04	Moderately Soft
Balmichael Arran	32.53	22.03	171.72	12.05	17.17	9.62	Moderately Hard
Balmore A	6.26	0.70	18.50	1.30	1.85	1.04	Soft
Balmore B	6.41	0.70	18.88	1.32	1.89	1.06	Soft
Balmore C	6.29	0.70	18.57	1.30	1.86	1.04	Soft
Balmore C5 North	6.65	0.71	19.52	1.37	1.95	1.09	Soft
Balmore C5 South	6.53	0.75	19.36	1.36	1.94	1.08	Soft
Balmore Carron Valley	8.28	0.93	24.45	1.72	2.44	1.37	Soft
Balmore Castlemilk	6.34	0.70	18.69	1.31	1.87	1.05	Soft
Balmore D	6.81	0.73	19.98	1.40	2.00	1.12	Soft
Balmore E	6.76	0.73	19.85	1.39	1.99	1.11	Soft
Balmore F	6.58	0.68	19.18	1.35	1.92	1.07	Soft
Balquidder	5.60	0.63	16.54	1.16	1.65	0.93	Soft
Barra Western Isles	4.83	4.73	31.47	2.21	3.15	1.76	Soft
Bayhead Western Isles	3.00	4.00	23.93	1.68	2.39	1.34	Soft
Beadale	9.80	1.90	32.26	2.26	3.23	1.81	Soft
Belmore	7.61	0.65	21.67	1.52	2.17	1.21	Soft
Benbecula Western Isles	4.73	4.05	28.44	2.00	2.84	1.59	Soft
Black Esk	24.44	3.39	74.90	5.25	7.49	4.20	Moderately Soft
Black Esk Winterhope	7.23	3.20	31.18	2.19	3.12	1.75	Soft
Blairlinnans North	8.44	1.24	26.14	1.83	2.61	1.46	Soft
Blairlinnans South	8.55	1.20	26.27	1.84	2.63	1.47	Soft
Blairnamarrow	22.35	8.35	90.10	6.32	9.01	5.05	Moderately Soft
Boardhouse Orkney	30.28	9.45	114.39	8.03	11.44	6.41	Slightly Hard
Bonar Bridge	3.75	0.93	13.16	0.92	1.32	0.74	Soft
Bonnycraig	2.85	0.99	11.17	0.78	1.12	0.63	Soft
Bracadale Skye	4.98	1.70	19.40	1.36	1.94	1.09	Soft
Bradan A	10.08	0.85	28.63	2.01	2.86	1.60	Soft
Bradan B	10.13	0.84	28.71	2.01	2.87	1.61	Soft
Bradan C	10.11	0.83	28.62	2.01	2.86	1.60	Soft
Braemar	20.03	1.60	56.54	3.97	5.65	3.17	Moderately Soft
Brig O' Turk	1.98	0.53	7.09	0.50	0.71	0.40	Soft
Broadford Skye	12.08	4.08	46.88	3.29	4.69	2.63	Soft
Buessan Mull	4.68	3.60	26.49	1.86	2.65	1.48	Soft
Burncrooks	15.96	1.20	44.76	3.14	4.48	2.51	Soft
Burncrooks and Blairlinnans	13.76	1.18	39.17	2.75	3.92	2.19	Soft
Campbeltown	15.39	4.24	55.82	3.92	5.58	3.13	Moderately Soft
Camphill	14.01	1.33	40.41	2.83	4.04	2.26	Soft
Camps	10.71	1.95	34.75	2.44	3.47	1.95	Soft
Carbost Skye	2.65	1.25	11.75	0.82	1.18	0.66	Soft
Cargen	44.58	21.10	197.98	13.89	19.80	11.09	Moderately Hard
Carradale	13.93	14.23	93.24	6.54	9.32	5.22	Moderately Soft
Carrick Castle	1.70	0.40	5.89	0.41	0.59	0.33	Soft
Carron Valley A	11.35	1.28	33.56	2.35	3.36	1.88	Soft
Carron Valley and Turret	10.60	1.20	31.38	2.20	3.14	1.76	Soft
Carron Valley B	10.56	1.19	31.24	2.19	3.12	1.75	Soft
Carsphairn	3.00	0.60	9.95	0.70	1.00	0.56	Soft
Castle Moffat	22.45	6.31	81.97	5.75	8.20	4.59	Moderately Soft

Hardness calculations using the average results for 2015 for calcium and magnesium from regulation zones.							
Water supply zone	Calcium mgCa/l	Magnesium mgMg/l	Hardness as mg/l CaCO <sub>3</sub>	Clark degrees	French degrees	German degrees	Hardness level
Claddich	3.10	0.20	8.56	0.60	0.86	0.48	Soft
Clatto East	9.96	1.91	32.72	2.30	3.27	1.83	Soft
Clatto West	10.38	1.90	33.70	2.36	3.37	1.89	Soft
Clasmol Western Isles	3.10	1.40	13.49	0.95	1.35	0.76	Soft
Colonsay	5.15	3.68	27.96	1.96	2.80	1.57	Soft
Corrie Arran	2.00	0.53	7.15	0.50	0.71	0.40	Soft
Corsehouse	19.91	1.55	56.06	3.93	5.61	3.14	Moderately Soft
Coulter	7.40	2.25	27.72	1.94	2.77	1.55	Soft
Craighead	18.63	3.15	59.42	4.17	5.94	3.33	Moderately Soft
Craighouse	3.55	0.98	12.87	0.90	1.29	0.72	Soft
Craigie	11.75	1.73	36.41	2.55	3.64	2.04	Soft
Craignure Mull	2.40	0.90	9.69	0.68	0.97	0.54	Soft
Crathie	7.70	1.60	25.79	1.81	2.58	1.45	Soft
Crianlarich	1.90	0.28	5.87	0.41	0.59	0.33	Soft
Daer A	9.54	1.00	27.91	1.96	2.79	1.56	Soft
Daer B	9.35	0.90	27.03	1.90	2.70	1.51	Soft
Daer C	9.44	0.91	27.30	1.92	2.73	1.53	Soft
Daer Camps A	9.85	1.41	30.38	2.13	3.04	1.70	Soft
Daer Camps B	9.74	1.10	28.82	2.02	2.88	1.61	Soft
Daer Coulter	7.98	1.79	27.25	1.91	2.72	1.53	Soft
Dalmally	1.48	1.10	8.20	0.58	0.82	0.46	Soft
Dalwhinnie	10.70	0.70	29.57	2.07	2.96	1.66	Soft
Dervaig Mull	2.93	2.28	16.65	1.17	1.67	0.93	Soft
Dhu Loch Bute	5.83	2.43	24.50	1.72	2.45	1.37	Soft
Diabeg	1.50	0.90	7.44	0.52	0.74	0.42	Soft
Dornoch	17.13	1.45	48.69	3.42	4.87	2.73	Soft
Dougliehill	16.36	1.30	46.17	3.24	4.62	2.59	Soft
Drimnin	6.10	3.60	30.02	2.11	3.00	1.68	Soft
Drumbeg	3.40	2.20	17.53	1.23	1.75	0.98	Soft
Durness	37.15	12.20	142.86	10.02	14.29	8.00	Slightly Hard
Earlish Skye	4.43	2.58	21.63	1.52	2.16	1.21	Soft
Eday Orkney	55.60	18.25	213.77	15.00	21.38	11.98	Moderately Hard
Eela Water	8.50	2.74	32.46	2.28	3.25	1.82	Soft
Elgol Skye	10.30	3.90	41.74	2.93	4.17	2.34	Soft
Fair Isle Shetland	52.10	13.90	187.15	13.13	18.71	10.49	Moderately Hard
Fetlar	5.20	8.70	48.75	3.42	4.87	2.73	Soft
Finlas	4.58	1.15	16.14	1.13	1.61	0.90	Soft
Forehill	33.00	6.56	109.32	7.67	10.93	6.13	Slightly Hard
Forehill and Turriff	33.53	6.78	111.50	7.82	11.15	6.25	Slightly Hard
Fort Augustus	6.50	2.30	25.68	1.80	2.57	1.44	Soft
Fort William	23.91	2.16	68.55	4.81	6.86	3.84	Moderately Soft
Foula Shetland	23.60	6.20	84.38	5.92	8.44	4.73	Moderately Soft
Geocrab Western Isles	1.75	2.40	14.24	1.00	1.42	0.80	Soft
Gigha	11.58	4.48	47.28	3.32	4.73	2.65	Soft
Glenconvinth	2.35	0.75	8.95	0.63	0.89	0.50	Soft
Glencorse A	9.04	1.41	28.36	1.99	2.84	1.59	Soft
Glencorse B	9.24	1.44	28.96	2.03	2.90	1.62	Soft
Glencorse C	9.16	1.40	28.62	2.01	2.86	1.60	Soft
Glencorse D	9.09	1.41	28.48	2.00	2.85	1.60	Soft
Glendale Skye	3.25	2.93	20.14	1.41	2.01	1.13	Soft
Glendevon A	13.98	2.08	43.40	3.04	4.34	2.43	Soft
Glendevon B	14.09	2.10	43.78	3.07	4.38	2.45	Soft
Glendevon/Glenfarg	18.66	3.23	59.82	4.20	5.98	3.35	Moderately Soft
Glenelg	3.66	0.53	11.29	0.79	1.13	0.63	Soft
Glenfarg	20.19	3.75	65.79	4.62	6.58	3.69	Moderately Soft
Glenfarg/Kinnesswood A	20.24	3.58	65.19	4.57	6.52	3.65	Moderately Soft
Glenfarg/Kinnesswood B	21.06	3.81	68.23	4.79	6.82	3.82	Moderately Soft
Glengap	13.63	2.08	42.53	2.98	4.25	2.38	Soft
Glenlatterach	28.10	1.45	76.07	5.34	7.61	4.26	Moderately Soft
Glenug	3.50	2.30	18.19	1.28	1.82	1.02	Soft
Govig Western Isles	2.40	1.60	12.57	0.88	1.26	0.70	Soft
Greenock	12.79	1.16	36.69	2.57	3.67	2.06	Soft
Herricks	20.95	4.06	68.98	4.84	6.90	3.86	Moderately Soft
Hopes	15.40	5.80	62.27	4.37	6.23	3.49	Moderately Soft
Howden	14.54	4.35	54.16	3.80	5.42	3.03	Moderately Soft
Hoy Calder	26.71	5.79	90.45	6.35	9.04	5.07	Moderately Soft
Hushinish Western Isles	20.80	3.50	66.29	4.65	6.63	3.71	Moderately Soft
Inchlaggan	2.50	0.70	9.12	0.64	0.91	0.51	Soft
Innerleithen	28.45	7.00	99.77	7.00	9.98	5.59	Moderately Soft
Inverary	1.65	0.88	7.71	0.54	0.77	0.43	Soft
Invercannie	7.73	1.06	23.64	1.66	2.36	1.32	Soft
Invergarry	2.33	0.38	7.34	0.52	0.73	0.41	Soft
Invermoriston	7.83	0.73	22.50	1.58	2.25	1.26	Soft
Inverness	9.93	1.19	29.65	2.08	2.96	1.66	Soft

Hardness calculations using the average results for 2015 for calcium and magnesium from regulation zones.

Water supply zone	Calcium mgCa/l	Magnesium mgMg/l	Hardness as mg/l CaCO <sub>3</sub>	Clark degrees	French degrees	German degrees	Hardness level
Kaim Lochwinnoch	15.75	1.26	44.49	3.12	4.45	2.49	Soft
Kenmore	24.35	3.80	76.38	5.36	7.64	4.28	Moderately Soft
Kettleton	11.03	3.95	43.75	3.07	4.37	2.45	Soft
Kilberry	9.50	3.70	38.92	2.73	3.89	2.18	Soft
Kilchoan	4.43	2.95	23.17	1.63	2.32	1.30	Soft
Killicrankie	20.08	1.49	56.20	3.94	5.62	3.15	Moderately Soft
Killin	16.93	0.95	46.13	3.24	4.61	2.58	Soft
Killylour	10.60	1.45	32.41	2.27	3.24	1.82	Soft
Kilmaluag Skye	6.20	2.70	26.57	1.86	2.66	1.49	Soft
Kilmelford	5.13	1.05	17.10	1.20	1.71	0.96	Soft
Kilmuir Skye	16.90	6.25	67.87	4.76	6.79	3.80	Moderately Soft
Kinloch Rannoch	5.60	1.25	19.11	1.34	1.91	1.07	Soft
Kinlochbervie	3.20	2.00	16.21	1.14	1.62	0.91	Soft
Kinlochewe	2.00	0.60	7.46	0.52	0.75	0.42	Soft
Kinlochleven	2.50	0.35	7.68	0.54	0.77	0.43	Soft
Kirbister Orkney	28.68	8.90	108.14	7.59	10.81	6.06	Slightly Hard
Kirkmichael	3.60	1.13	13.61	0.95	1.36	0.76	Soft
Kyle of Lochalsh	5.15	2.85	24.57	1.72	2.46	1.38	Soft
Kylesku	1.90	1.00	8.85	0.62	0.89	0.50	Soft
Laggan Bridge	27.10	1.90	75.43	5.29	7.54	4.23	Moderately Soft
Laid	1.50	0.50	5.80	0.41	0.58	0.32	Soft
Larchfield	37.09	18.11	167.01	11.72	16.70	9.36	Moderately Hard
Lerwick Shetland	17.33	4.18	60.39	4.24	6.04	3.38	Moderately Soft
Lintrathen	8.05	1.49	26.20	1.84	2.62	1.47	Soft
Lismore Primary School	126.10	3.70	329.83	23.14	32.98	18.48	Hard
Loch Eck	8.09	1.09	24.65	1.73	2.47	1.38	Soft
Lochaline	6.73	2.43	26.75	1.88	2.68	1.50	Soft
Lochcarron	3.93	1.40	15.57	1.09	1.56	0.87	Soft
Lochearnhead	5.15	0.83	16.24	1.14	1.62	0.91	Soft
Lochenkit	11.98	1.53	36.15	2.54	3.61	2.03	Soft
Lochgillhead	3.05	0.65	10.28	0.72	1.03	0.58	Soft
Lochinvar	8.53	1.58	27.75	1.95	2.77	1.55	Soft
Lochinver	4.88	2.15	21.00	1.47	2.10	1.18	Soft
Lochmaddy Western Isles	2.18	3.13	18.28	1.28	1.83	1.02	Soft
Lochranza Arran	2.33	0.43	7.55	0.53	0.75	0.42	Soft
Lomond Hills	23.48	5.46	81.03	5.68	8.10	4.54	Moderately Soft
Lomond Hills BH Mix	27.78	16.44	136.89	9.60	13.69	7.67	Slightly Hard
Lumsden	31.05	3.08	90.11	6.32	9.01	5.05	Moderately Soft
Mallaig	2.53	2.05	14.73	1.03	1.47	0.83	Soft
Mannofield East	10.18	1.40	31.14	2.18	3.11	1.74	Soft
Mannofield North	9.28	1.25	28.28	1.98	2.83	1.58	Soft
Mannofield South	9.80	1.35	30.00	2.10	3.00	1.68	Soft
Mannofield West	9.98	1.29	30.18	2.12	3.02	1.69	Soft
Manse St	11.56	4.55	47.56	3.34	4.76	2.66	Soft
Marchbank A	5.45	0.95	17.50	1.23	1.75	0.98	Soft
Marchbank B	4.99	1.01	16.61	1.17	1.66	0.93	Soft
Meavaig Western Isles	2.30	1.60	12.32	0.86	1.23	0.69	Soft
Milngavie C1	5.55	0.68	16.62	1.17	1.66	0.93	Soft
Milngavie C2	5.56	0.70	16.76	1.18	1.68	0.94	Soft
Milngavie C3	5.45	0.70	16.48	1.16	1.65	0.92	Soft
Milngavie C4	5.40	0.68	16.25	1.14	1.62	0.91	Soft
Milngavie M1	5.39	0.68	16.22	1.14	1.62	0.91	Soft
Milngavie M2	5.45	0.71	16.53	1.16	1.65	0.93	Soft
Milngavie M3	5.53	0.69	16.61	1.17	1.66	0.93	Soft
Milngavie M4C	5.38	0.70	16.29	1.14	1.63	0.91	Soft
Milngavie M5 Drumchapel North	5.36	0.70	16.26	1.14	1.63	0.91	Soft
Milngavie M5 Drumchapel South	5.31	0.71	16.18	1.14	1.62	0.91	Soft
Milngavie M5 Renfrew	5.65	0.68	16.87	1.18	1.69	0.95	Soft
Milngavie South Moorhouse	12.91	1.28	37.46	2.63	3.75	2.10	Soft
Moffat	24.50	9.10	98.55	6.91	9.85	5.52	Moderately Soft
Muirdykes	13.58	2.31	43.38	3.04	4.34	2.43	Soft
Ness Western Isles	1.23	2.48	13.23	0.93	1.32	0.74	Soft
Newcastleton	56.60	19.55	221.61	15.55	22.16	12.42	Moderately Hard
Newmore	2.10	0.75	8.32	0.58	0.83	0.47	Soft
Newmore B	2.04	0.74	8.16	0.57	0.82	0.46	Soft
North Hoy Orkney	5.00	3.20	25.63	1.80	2.56	1.44	Soft
North Lochs	1.73	2.18	13.25	0.93	1.32	0.74	Soft
North Ronaldsay Orkney	99.60	24.10	347.60	24.39	34.76	19.48	Hard
Osedale Skye	11.18	5.03	48.54	3.41	4.85	2.72	Soft
Oykel Bridge	60.60	5.40	173.40	12.17	17.34	9.72	Moderately Hard
Papa Stour Shetland	10.60	6.00	51.12	3.59	5.11	2.86	Moderately Soft
Pateshill	11.00	1.50	33.61	2.36	3.36	1.88	Soft
Penwhapple	19.66	3.14	61.96	4.35	6.20	3.47	Moderately Soft
Penwhirn	15.58	1.61	45.49	3.19	4.55	2.55	Soft

Hardness calculations using the average results for 2015 for calcium and magnesium from regulation zones.							
Water supply zone	Calcium mgCa/l	Magnesium mgMg/l	Hardness as mg/l CaCO <sub>3</sub>	Clark degrees	French degrees	German degrees	Hardness level
Perth	16.70	1.98	49.79	3.49	4.98	2.79	Soft
Picketlaw	19.85	1.58	56.00	3.93	5.60	3.14	Moderately Soft
Picketlaw/South Moorhouse	19.21	1.56	54.36	3.81	5.44	3.05	Moderately Soft
Poolewe	1.58	0.95	7.84	0.55	0.78	0.44	Soft
Port Charlotte Islay	4.33	3.35	24.57	1.72	2.46	1.38	Soft
Portree Torvaig Skye	9.08	1.10	27.17	1.91	2.72	1.52	Soft
Raasay Skye	6.13	2.10	23.92	1.68	2.39	1.34	Soft
Rawburn	20.38	5.39	72.99	5.12	7.30	4.09	Moderately Soft
Rhenigidale Western Isles	1.30	1.00	7.36	0.52	0.74	0.41	Soft
Ringford	18.70	4.10	63.52	4.46	6.35	3.56	Moderately Soft
Roberton	19.48	4.09	65.40	4.59	6.54	3.66	Moderately Soft
Rosebery A	8.98	1.90	30.21	2.12	3.02	1.69	Soft
Rosebery B	8.30	1.68	27.60	1.94	2.76	1.55	Soft
Rosebery/Castle Moffat	22.79	6.19	82.30	5.77	8.23	4.61	Moderately Soft
Rosebery/Hopes	8.78	1.93	29.81	2.09	2.98	1.67	Soft
Rousay School Orkney	57.30	26.70	252.75	17.73	25.28	14.16	Hard
Saddell	27.20	7.50	98.70	6.92	9.87	5.53	Moderately Soft
Sanday Orkney	37.30	15.25	155.77	10.93	15.58	8.73	Moderately Hard
Sanna	4.20	2.10	19.11	1.34	1.91	1.07	Soft
Savelbeg	2.65	1.70	13.60	0.95	1.36	0.76	Soft
Scourie	7.53	2.45	28.85	2.02	2.88	1.62	Soft
Shildaig	2.80	0.90	10.69	0.75	1.07	0.60	Soft
Skerries Shetland	9.20	5.00	43.51	3.05	4.35	2.44	Soft
South Hoy Orkney	4.83	3.90	28.08	1.97	2.81	1.57	Soft
South Moorhouse	18.54	1.75	53.45	3.75	5.34	2.99	Moderately Soft
South Uist Western Isles	2.30	2.80	17.25	1.21	1.73	0.97	Soft
Spynie	26.25	1.68	72.38	5.08	7.24	4.06	Moderately Soft
Staffin Skye	11.25	1.73	35.16	2.47	3.52	1.97	Soft
Stoer	10.90	3.75	42.62	2.99	4.26	2.39	Soft
Stornoway North Lochs	1.08	1.65	9.47	0.66	0.95	0.53	Soft
Stornoway Western Isles	1.13	1.91	10.67	0.75	1.07	0.60	Soft
Strathyre	4.60	0.88	15.08	1.06	1.51	0.84	Soft
Strollamus Skye	6.90	1.60	23.79	1.67	2.38	1.33	Soft
Stronsay Orkney	73.10	21.40	270.38	18.97	27.04	15.15	Hard
Strontian	2.68	0.55	8.94	0.63	0.89	0.50	Soft
Suainaval Western Isles	1.50	2.00	11.97	0.84	1.20	0.67	Soft
Tarbert Argyll	1.00	1.00	6.61	0.46	0.66	0.37	Soft
Tarbert Western Isles	1.45	2.53	14.00	0.98	1.40	0.78	Soft
Taynuilt	3.53	0.63	11.36	0.80	1.14	0.64	Soft
Teangue Skye	3.30	1.23	13.27	0.93	1.33	0.74	Soft
Terregles	38.64	17.69	169.13	11.87	16.91	9.48	Moderately Hard
Tighnabruaich	5.43	1.30	18.88	1.32	1.89	1.06	Soft
Tiree	110.08	11.60	322.34	22.61	32.23	18.06	Hard
Tobermory Mull	3.50	2.53	19.12	1.34	1.91	1.07	Soft
Tolsta Western Isles	1.00	1.63	9.18	0.64	0.92	0.51	Soft
Tomatin	7.75	3.10	32.08	2.25	3.21	1.80	Soft
Tomich	9.68	6.85	52.31	3.67	5.23	2.93	Moderately Soft
Tomnavoulin	11.38	2.78	39.79	2.79	3.98	2.23	Soft
Torra Islay	1.83	1.98	12.67	0.89	1.27	0.71	Soft
Torridon	19.00	3.20	60.56	4.25	6.06	3.39	Moderately Soft
Torrin Skye	13.80	2.20	43.48	3.05	4.35	2.44	Soft
Tullich	13.90	2.79	46.14	3.24	4.61	2.59	Soft
Turret A	5.16	1.14	17.56	1.23	1.76	0.98	Soft
Turret B	5.46	1.15	18.36	1.29	1.84	1.03	Soft
Turret C	5.20	1.13	17.60	1.23	1.76	0.99	Soft
Turret/Balmore/Carron Valley	10.50	1.19	31.08	2.18	3.11	1.74	Soft
Turriff	27.89	5.35	91.58	6.42	9.16	5.13	Moderately Soft
Tyndrum	7.33	0.58	20.64	1.45	2.06	1.16	Soft
Ullapool	6.03	2.10	23.67	1.66	2.37	1.33	Soft
Unst	4.83	4.40	30.13	2.11	3.01	1.69	Soft
Watnish Skye	11.08	6.48	54.26	3.81	5.43	3.04	Moderately Soft
West Lewis Western Isles	2.70	4.65	25.86	1.81	2.59	1.45	Soft
Westray Orkney	56.53	16.85	210.32	14.75	21.03	11.78	Moderately Hard
Whalsay Shetland	4.13	4.93	30.54	2.14	3.05	1.71	Soft
Whitehillocks	10.68	0.59	29.05	2.04	2.90	1.63	Soft
Winterhope	6.10	3.28	28.69	2.01	2.87	1.61	Soft
Yarrowfeus	12.70	3.70	46.90	3.29	4.69	2.63	Soft
Yell Shetland	5.23	5.93	37.40	2.62	3.74	2.10	Soft